

## Sharp NEC Display Solutions

**NaViSet ADMINISTRATOR 2**

Unified Display device control and asset management software

**All-in-one support system for Sharp NEC Desktops, Projectors and Large Format Displays****Ideal for any multi-device installation**

NaViSet Administrator 2 is an all-in-one remote support solution that manages the majority of Sharp NEC display devices and Windows computers. It is ideal for multidevice installations over larger infrastructures, for example in the corporate/large businesses, transportation, energy and utility, leisure and museum, finance, retail industries. Through an easy to use and sophisticated graphical user interface (GUI), businesses can reduce their administration effort and costs by remotely diagnosing and correcting technology issues with conSharp NECted display devices.


The NaViSet Administrator 2 software is designed to run from a central location and provides monitoring, asset management and control functionality of remote displays via LAN or serial conSharp NECtions. It can run continuously to provide automatic monitoring and control of devices while alerts can be set when specified parameters within the display device change.

**NaViSet Administrator Benefits**

- All in one remote support for the majority of Sharp NEC Desktop monitors, Large Format Displays, Projectors as well as Windows computers.
- Reduces administration effort, workload and costs.
- Greatly eases administration of larger display installations.
- Allows detailed analysis of conSharp NECted devices.
- Supports ECO policies (e.g. switches off displays automatically or adapts brightness to ambient conditions etc.).
- Easy to install, easy to integrate display devices, easy to operate.

## How it works

- NaviSet Administrator 2 can perform various commands on one or many devices; e.g. change settings, perform operations on devices as well as reading settings and parameters (manually or automatically).
- Devices can be scheduled or updated at any time to poll basic or advanced information.
- Information gathered from devices can be exported to the clipboard, an Excel spreadsheet or a delimited text file.
- NaviSet Administrator 2 can periodically query conSharp NECted devices to check for abnormal conditions, detect failures and identify changes to criticalcontrol settings.



## MANAGE ALL CONSharp NECted DISPLAY DEVICES FROM A CENTRALISED LOCATION

### Control

Tie all products together and manage from a centralised location:

- Adjust almost any parameter or setting in a display from a remote location.
- Gather valuable information pertaining to a Windows computer such as model name, operating system version, memory and CPU.

### Remote Monitoring

Remotely Query display information and controls:

- Store all information about conSharp NECted devices in a local database.
- Run reports that gather information on almost any parameter or setting.
- Assign an electronic Asset Tag that is permanently stored within the display's memory to provide a secure method of asset tracking over a network.

### Task Management

Tie all products together and manage from a centralised location:

- Schedule periodic polling at particular times or on demand.
- Issue email alerts automatically if a diagnostic error is reported by a device or a setting has been changed.
- Monitor and perform Command, Conditional and Informational tasks.

## System Requirements

### System Requirements

- All Sharp NEC Desktop Display Models.
- Sharp NEC Large Format Displays, Series: S, V, P, X and LCDXX20.
- Sharp NEC Projector Models with a LAN or RS232 conSharp NECtion.
- Supported features and functionality depend on model.
- Information gathered from devices can be exported to the clipboard, an Excel spreadsheet or a delimited text file.
- NaviSet Administrator 2 can periodically query conSharp NECted devices to check for abnormal conditions, detect failures and identify changes to criticalcontrol settings.

SPECIFICATIONS	MICROSOFT WINDOWS
Operating System	32 and 64 bit versions of MicroSoft Windows XP, Server 2003, Vista, Windows 7 and Windows 8
LAN	Standard TCP/IP LAN interface. Static IP addresses required for most display devices conSharp NECted directly to LAN, unless name resolution (hostname) support is provided
System Resources	At least 64MB hard disk space available for installation Approximately 50MB per 100 devices hard disk space required for database storage At least 96MB RAM (192MB recommended)
Software	Adobe reader X or higher is recommended for viewing the User's Guide. Open Hardware Monitor (optional) for monitoring computer temperature and fan status

[Find out more about Sharp NEC Display Solutions](#)

Sharp NEC Display Solutions Europe GmbH  
Landshuter Allee 12-14,  
D-80637 München  
infomail.sndse@sharp.eu  
www.sharpSharp NECdisplays.eu  
Phone: +49 (0) 89 99 699-0

**SHARP / NEC**